

## Appendix: Drill Results

**Table 1: Camino Rojo Sulphide Infill Composite Drill Results (Composites 1g/t Au cog)**

HOLE-ID	From (m)	To (m)	Core Length (m)	Estimated True Width (m)	Composites 1g/t Au cog								Including 10g/t Au HG	Litho	Met Code
					Au g/t	Ag g/t	Cu ppm	As ppm	Pb ppm	Zn ppm	AuEq g/t	Au GXM			
CRSX23-15A	504.50	555.50	51.0	39.0	1.26	7.2	67	1807	671	1794	1.44	64.43		504.5 - 520.95 Caracol 520.95 - 521.95 Breccia 521.95 - 555.5 Caracol	504.5 - 533.9 533.9 - 555.5 SX
CRSX23-15A	563.00	572.00	9.0	8.5	2.59	8.6	115	2977	850	2829	2.84	23.31		Caracol	SX
CRSX23-15A	578.70	616.50	37.8	35.5	1.18	6.3	96	1567	757	1799	1.35	44.52		Caracol	SX
CRSX23-15A	627.00	628.50	1.5	1.4	2.51	3.6	133	6070	105	70	2.57	3.77		Caracol	SX
CRSX23-15A	640.50	648.00	7.5	4.9	1.05	11.4	215	1320	481	3429	1.38	7.87		Caracol	SX
CRSX23-15A	661.50	672.00	10.5	6.9	1.18	6.5	116	3153	84	503	1.30	12.41		Caracol	SX
CRSX23-15A	681.00	682.50	1.5	1.0	2.50	13.0	451	3360	363	5700	2.99	3.75		Caracol	SX
CRSX23-15A	687.00	688.50	1.5	1.0	1.22	12.1	153	489	250	1975	1.47	1.82		Caracol	SX
CRSX23-15A	703.50	732.00	28.5	18.7	1.56	7.2	211	1235	102	2686	1.80	44.51		Caracol	SX
CRSX23-15A	751.50	756.00	4.5	4.2	1.65	20.4	413	1662	215	9352	2.39	7.44		Caracol	SX
CRSX23-15A	777.00	778.50	1.5	1.4	1.79	6.1	220	1820	113	1510	1.96	2.68		Caracol	SX
CRSX23-15A	836.50	838.00	1.5	1.0	1.03	19.1	317	3600	296	18600	2.18	1.55		Indidura	SX
CRSX23-15B	508.50	510.00	1.5	1.4	1.30	22.7	61	2040	1745	1795	1.66	1.94		Caracol	SX
CRSX23-15B	519.00	539.00	20.0	18.2	2.53	12.4	110	3499	939	4398	2.90	50.64		519 - 528.4 Caracol 528.4 - 530.25 Breccia 530.25 - 539 Caracol	SX
CRSX23-15B	546.50	554.00	7.5	6.8	2.07	5.7	124	730	561	4001	2.35	15.55		Caracol	SX
CRSX23-15B	561.50	572.00	10.5	9.6	1.86	3.9	71	2408	270	2227	2.02	19.51		Caracol	SX
CRSX23-17	507.50	576.00	68.5	51.8	2.54	11.2	118	2821	1167	3305	2.85	174.09	1.5m @ 13.05g/t Au	507.5 - 508.95 Caracol 508.95 - 510.1 Breccia 510.1 - 512.4 Caracol 512.4 - 517.4 Breccia 517.4 - 546.05 Caracol 546.05 - 547.05 Breccia 547.05 - 576 Caracol	SX
CRSX23-17	588.00	601.50	13.5	10.2	3.07	5.7	165	2434	285	2134	3.26	41.40		Caracol	SX
CRSX23-17	609.00	627.00	18.0	15.7	2.12	5.5	117	2313	799	1286	2.26	38.12	1.5m @ 11.9g/t Au	Caracol	SX
CRSX23-17	667.50	669.00	1.5	1.3	1.34	4.1	133	496	93	358	1.42	2.00		Caracol	SX
CRSX23-17	685.50	688.50	3.0	2.4	4.01	6.8	180	5760	196	8646	4.52	12.03		Caracol	SX
CRSX23-17	702.00	703.50	1.5	1.3	12.90	23.6	524	2820	1845	21800	14.28	19.35	1.5m @ 12.9g/t Au	Indidura	SX
CRSX23-17	726.50	734.00	7.5	6.4	3.05	8.5	232	2789	305	3855	3.37	22.89	1.5m @ 12.35g/t Au	Indidura	SX
CRSX23-17	753.50	755.00	1.5	1.2	1.06	8.4	199	934	1025	5150	1.43	1.58		Indidura	SX
CRSX23-17	784.50	786.00	1.5	1.2	1.52	18.7	673	7790	1270	25500	3.04	2.28		Indidura	SX
CRSX23-17	789.00	790.50	1.5	1.2	1.07	0.9	239	59	16	545	1.13	1.60		Indidura	SX
CRSX23-17	834.00	844.50	10.5	9.0	1.82	3.3	162	708	32	4116	2.07	19.11		Indidura	SX
CRSX23-17	915.00	919.70	4.7	4.0	2.54	4.2	442	569	36	748	2.69	11.94		Cuesta de Cura	SX
CRSX23-17	942.00	943.50	1.5	1.2	1.81	0.3	59	51	15	44	1.82	2.72		FG Intrusives - hdb-bi-pl	SX
CRSX23-17	955.70	957.20	1.5	1.2	1.15	4.7	1065	485	12	214	1.36	1.72		Cuesta de Cura	SX
CRSX23-17	961.40	963.50	2.1	1.6	1.35	9.3	773	217	82	318	1.58	2.83		961.4 - 962 Cuesta de Cura 962 - 963.5 FG Intrusives - hdb-bi-pl	SX
CRSX23-17	1014.00	1015.50	1.5	1.3	1.46	5.3	244	3510	120	25900	2.77	2.19		Cuesta de Cura	SX
CRSX23-18B	491.80	493.50	1.7	1.0	2.11	13.6	109	2820	1820	10250	2.77	3.59		Caracol	SX
CRSX23-18B	517.35	665.00	147.7	90.6	1.77	8.5	137	2345	996	4391	2.09	260.92	1.5m @ 29.3g/t Au	517.35 - 548.05 Caracol 548.05 - 551.25 Breccia 551.25 - 620.6 Caracol 620.6 - 629.45 Indidura 629.45 - 632 Breccia 632 - 665 Indidura	517.35 - 627.2 SX 627.2 - 634.8 TRSX 634.8 - 665 SX
CRSX23-19A	450.00	469.50	19.5	14.7	1.03	8.3	60	1677	888	1582	1.22	20.18		Caracol	SX
CRSX23-19A	480.10	487.50	7.4	5.6	1.52	4.5	69	3087	500	2152	1.69	11.27		Caracol	SX
CRSX23-19A	499.50	501.00	1.5	1.3	1.47	14.9	183	2900	2420	3380	1.83	2.21		Caracol	SX
CRSX23-19A	522.00	550.50	28.5	21.4	1.18	6.0	112	914	737	2048	1.36	33.58		Caracol	522 - 547 SX 547 - 550.5 TRSX
CRSX23-19A	558.48	598.50	40.0	30.0	1.34	7.1	121	689	173	2856	1.57	53.53		558.48 - 567.7 Breccia 567.7 - 571.15 Caracol 571.15 - 572 Breccia 572 - 598.5 Caracol	558.48 - 561.5 TRSX 561.5 - 567.7 TROL 567.7 - 571.7 TRSX 571.7 - 598.5 SX
CRSX23-19A	610.50	612.00	1.5	1.1	3.36	10.9	154	1135	117	14100	4.17	5.04		Caracol	SX
CRSX23-19A	630.00	634.50	4.5	3.4	1.01	5.0	129	1639	53	1566	1.16	4.54		Caracol	SX
CRSX23-19A	642.00	655.50	13.5	10.1	1.02	2.2	86	281	39	663	1.09	13.78		Caracol	SX
CRSX23-19A	660.00	661.50	1.5	1.1	2.70	7.9	280	4450	59	3380	2.99	4.05		Indidura	SX

CRSX23-19A	669.00	676.50	7.5	6.5	1.05	5.4	182	1337	88	5715	1.41	7.91		Indidura	SX
CRSX23-19A	687.00	691.50	4.5	3.4	23.48	7.5	155	161	234	7557	23.94	105.64	1.5m @ 69.1g/t Au	Indidura	TRSX
CRSX23-19B	477.50	489.50	12.0	8.2	1.05	6.4	53	1706	838	1731	1.22	12.60		Caracol	SX
CRSX23-19B	491.00	492.50	1.5	1.0	1.09	16.8	57	2590	4250	1105	1.35	1.63		Caracol	SX
CRSX23-19B	503.00	513.50	10.5	7.2	1.17	7.2	80	2851	790	703	1.30	12.27		Caracol	SX
CRSX23-19B	525.50	528.50	3.0	2.0	3.10	23.5	134	4265	2709	6935	3.72	9.29		Caracol	SX
CRSX23-19B	536.00	569.00	33.0	22.3	1.51	9.5	146	2006	1664	4709	1.86	49.72		Caracol	SX
CRSX23-19B	584.00	633.85	49.9	33.6	2.05	7.5	185	1104	220	2974	2.30	101.99		584 - 587.6 Caracol 587.6 - 595.7 Breccia 595.7 - 633.85 Caracol	584 - 595.7 TROH 595.7 - 633.85 SX
CRSX23-19B	640.50	661.50	21.0	14.2	2.81	18.7	284	2598	437	16860	3.86	58.98	1.3m @ 11.4g/t Au	Indidura	SX
CRSX23-19B	685.00	686.50	1.5	1.0	1.73	6.0	174	316	212	7130	2.16	2.60		Indidura	SX
CRSX23-19C	476.70	484.00	7.3	4.6	1.11	4.4	36	2226	400	1034	1.22	8.13		Caracol	SX
CRSX23-19C	494.50	496.00	1.5	1.0	1.23	56.3	230	5720	10200	1500	2.00	1.84		Caracol	SX
CRSX23-19C	508.00	509.50	1.5	1.0	1.04	6.4	50	268	1095	729	1.15	1.55		Caracol	SX
CRSX23-19C	520.00	521.50	1.5	0.9	1.13	6.6	107	2320	902	3760	1.40	1.69		Caracol	SX
CRSX23-19C	532.00	656.50	124.5	78.1	2.08	9.8	144	2069	1131	3881	2.40	259.38	1.5m @ 11.65g/t Au 3m @ 11.68g/t Au	532 - 619.13 Caracol 619.13 - 633.2 Breccia 633.2 - 655.1 Indidura 655.1 - 656.5 Breccia	532 - 619.13 SX 619.13 - 625.2 TROL 625.2 - 629.7 TROH 629.7 - 656.5 TRSX 593 - 605.6 SX 605.6 - 610 TROL
CRSX23-20	593.00	610.00	17.0	11.5	2.09	12.3	103	2057	1477	2196	2.36	35.61		Caracol	605.6 - 610 TROL SX
CRSX23-20	617.50	629.50	12.0	8.1	2.96	5.6	118	6363	250	1387	3.11	35.56	1.5m @ 13.1g/t Au	Caracol	SX
CRSX23-20	636.20	648.00	11.8	8.0	3.98	26.6	138	3078	2344	9290	4.75	46.91	1.3m @ 28g/t Au	636.2 - 637.5 Breccia 637.5 - 648 Indidura	636.2 - 637.45 TROH 637.45 - 648 SX
CRSX23-20	660.00	664.50	4.5	3.0	1.77	3.1	97	384	78	2864	1.95	7.96		Indidura	SX
CRSX23-20A	541.50	543.00	1.5	1.5	2.53	8.8	187	4540	218	3000	2.80	3.80		Caracol	SX
CRSX23-20A	550.50	580.00	29.5	29.0	2.74	32.7	262	1548	3613	5790	3.44	80.81	1.75m @ 13.25g/t Au	550.5 - 555.9 Caracol 555.9 - 557.65 Breccia 557.65 - 580 Caracol	550.5 - 555.9 TRSX 555.9 - 575.6 TROL 575.6 - 580 TRSX
CRSX23-20A	596.00	597.50	1.5	0.7	2.98	12.2	257	1640	2020	3860	3.34	4.47		Caracol	TRSX
CRSX23-20A	613.30	616.00	2.7	2.7	6.65	14.7	350	527	366	2120	6.97	17.96		Caracol	613.3 - 615.65 TRSX 615.65 - 616 SX
CRSX23-20A	636.00	649.00	13.0	12.8	3.75	4.2	108	341	95	2500	3.93	48.71	1.5m @ 26.9g/t Au	Caracol	SX
CRSX23-20B	519.00	541.50	22.5	20.8	1.47	6.4	66	1236	895	2429	1.68	33.18		Caracol	519 - 521.8 FR 521.8 - 528.5 SX 528.5 - 535.5 TRSX 535.5 - 541.5 SX
CRSX23-20B	555.00	558.00	3.0	2.8	5.98	23.6	258	2817	3130	8265	6.69	17.94		Caracol	SX
CRSX23-20B	568.00	664.50	96.5	89.2	2.22	9.3	166	619	1375	4108	2.54	213.77	1.15m @ 12.75g/t Au 1.6m @ 17.45g/t Au	568 - 588.15 Caracol 588.15 - 591.1 Breccia 591.1 - 664.5 Caracol	568 - 592.6 TROL 592.6 - 615 TRSX 615 - 620.1 SX 620.1 - 628.6 TRSX 628.6 - 647.7 SX 647.7 - 652.7 TRSX 652.7 - 662.1 SX 662.1 - 664.5 TRSX
CRSX23-20B	677.20	678.50	1.3	1.2	1.70	1.6	74	289	29	810	1.77	2.21		Caracol	
CRSX23-20B	692.30	701.50	9.2	8.5	1.35	1.1	78	245	25	815	1.41	12.39		Breccia	TRSX
CRSX23-20B	720.50	749.00	28.5	26.4	1.77	5.1	223	266	36	865	1.91	50.54		Caracol	720.5 - 745.7 TRSX 745.7 - 749 SX
CRSX23-20B	758.00	790.50	32.5	21.3	1.74	10.8	298	744	188	4615	2.12	56.39		758 - 787.45 Indidura 787.45 - 790.5 FG Intrusives - hdb-bi-pl	SX
CRSX23-20B	822.00	826.50	4.5	4.2	2.70	44.9	525	705	499	4156	3.50	12.13		822 - 823.35 Breccia 823.35 - 826.5 FG Intrusives - hdb-bi-pl 834 - 836.3 FG Intrusives - hdb-bi-pl	SX
CRSX23-20B	834.00	845.50	11.5	7.5	4.08	35.8	943	1856	247	1810	4.72	46.91	1.5m @ 11.8g/t Au	836.3 - 837.8 Breccia 837.8 - 845.5 Indidura	SX
CRSX23-20C	547.50	558.00	10.5	8.8	4.22	8.2	119	4456	232	3099	4.48	44.28	1.5m @ 13.55g/t Au	Caracol	SX
CRSX23-20C	567.00	570.00	3.0	2.5	4.52	32.2	215	3045	2141	13750	5.58	13.57		Caracol	TRSX
CRSX23-20C	582.00	608.00	26.0	21.7	1.55	13.0	141	485	1030	3051	1.87	40.26	0.9m @ 10.55g/t Au	Caracol	TRSX
CRSX23-20C	615.50	646.60	31.1	25.9	1.53	7.1	157	1174	249	3011	1.78	47.67		Caracol	615.5 - 631.8 SX 631.8 - 646.6 TRSX
CRSX23-20C	655.50	671.50	16.0	13.3	2.40	6.5	135	1304	84	1618	2.57	38.42	1.5m @ 10.55g/t Au	655.5 - 668.4 Caracol 668.4 - 671.5 Indidura	SX
CRSX23-20C	682.00	688.00	6.0	5.0	1.30	2.7	83	1057	169	3878	1.53	7.81		Indidura	SX
CRSX23-20C	699.50	701.00	1.5	1.2	4.67	25.1	635	1630	437	18600	5.93	7.01		Indidura	SX
CRSX23-20C	755.20	756.50	1.3	1.0	1.22	6.2	299	390	77	5860	1.61	1.58		Indidura	FR
CRSX23-20C	839.50	841.00	1.5	1.2	1.23	5.5	94	208	51	16800	2.10	1.85		Indidura	SX
CRSX23-20C	854.50	856.00	1.5	1.2	1.01	13.2	627	151	212	42700	3.26	1.51		Cuesta de Cura	SX
CRSX23-20C	860.60	862.00	1.4	1.1	1.40	52.4	664	659	1450	6130	2.41	1.96		Cuesta de Cura	SX
CRSX23-20C	887.00	888.30	1.3	1.0	2.11	1.3	56	113	18	433	2.15	2.74		Cuesta de Cura	SX
CRSX23-20C	904.40	905.90	1.5	1.3	1.97	12.9	283	2080	193	20600	3.13	2.95		Cuesta de Cura	SX
CRSX23-20D	516.95	518.50	1.5	1.2	1.91	20.4	89	5670	3180	4370	2.37	2.96		Caracol	SX
CRSX23-20F	561.00	571.50	10.5	8.2	3.22	13.8	117	5809	1727	3058	3.55	33.85	1.5m @ 14.8g/t Au	Caracol	SX

CRSX23-20F	578.50	643.90	65.4	51.0	2.36	10.4	156	1800	862	3170	2.66	154.40	1.5m @ 14.8g/t Au	578.5 - 637.6 Caracol 637.6 - 643.75 Breccia 643.75 - 643.9 Caracol	578.5 - 607.8 SX 607.8 - 625.7 TRSX 625.7 - 637.6 SX 637.6 - 643.75 TRSX 643.75 - 643.9 SX
CRSX23-20F	653.00	668.00	15.0	11.7	1.59	20.2	142	2174	696	1393	1.91	23.79		653 - 656 Caracol 656 - 668 Indidura	SX
CRSX23-20F	675.50	677.00	1.5	1.3	5.47	49.4	1110	5690	6040	7460	6.57	8.21		Indidura	SX
CRSX23-20F	686.00	687.50	1.5	1.3	2.25	1.3	54	362	91	778	2.31	3.38		Indidura	SX
CRSX23-20F	812.50	830.80	18.3	15.7	1.22	10.5	406	1096	180	13319	2.03	22.34		Cuesta de Cura	SX
CRSX23-20F	840.30	844.60	4.3	3.7	3.64	1.5	100	983	20	15880	4.41	15.63		Cuesta de Cura	840.3 - 842 SX 842 - 844.6 TRSX
CRSX23-20F	853.15	854.65	1.5	1.3	2.54	8.4	597	1885	115	12300	3.30	3.81		Cuesta de Cura	TRXS
CRSX23-20F	872.50	874.00	1.5	1.3	2.26	0.7	44	35	7	424	2.29	3.39		Cuesta de Cura	SX
CRSX23-20F	987.10	988.05	0.9	0.8	6.35	7.4	1175	341	164	1205	6.66	6.03		Cuesta de Cura	SX
CRSX23-20F	1026.00	1027.50	1.5	1.3	1.30	0.5	17	16	9	36	1.31	1.94		Cuesta de Cura	SX
CRSX23-20F	1062.75	1067.95	5.2	4.4	2.69	10.0	371	884	322	38784	4.69	14.01	0.8m @ 15.5g/t Au	Cuesta de Cura	SX
CRSX23-21	557.00	558.50	1.5	1.1	1.64	6.9	72	2400	870	1010	1.78	2.46		Caracol	SX
CRSX23-21	573.50	585.50	12.0	8.8	1.66	7.5	50	2331	602	1210	1.81	19.89		Caracol	SX
CRSX23-21	597.50	599.00	1.5	1.1	1.46	26.6	77	1960	4230	4950	2.02	2.18		Caracol	SX
CRSX23-21	610.95	640.00	29.1	21.0	1.95	6.4	85	2466	513	3012	2.18	56.51		Caracol	SX
CRSX23-21	653.50	660.00	6.5	5.8	1.51	8.7	69	1020	1198	3320	1.78	9.79		Caracol	SX
CRSX23-21	675.00	677.00	2.0	1.4	4.83	26.5	213	5747	704	9840	5.65	9.67	0.65m @ 12g/t Au	Caracol	SX
CRSX23-21A	523.20	524.45	1.3	1.2	2.20	6.3	44	4590	616	928	2.33	2.75		Breccia	SX
CRSX23-21A	533.50	583.00	49.5	47.6	2.44	13.9	180	2387	1264	3691	2.80	120.70	1.5m @ 17.1g/t Au 1.5m @ 18.8g/t Au	Caracol	SX
CRSX23-21A	592.00	599.50	7.5	7.2	6.33	13.0	212	5674	517	10231	6.99	47.45	1.5m @ 13g/t Au	Caracol	SX
CRSX23-21A	608.50	613.00	4.5	4.3	1.75	2.4	63	1456	40	497	1.81	7.86		Caracol	SX
CRSX23-21A	619.00	620.50	1.5	1.4	1.38	2.1	68	745	29	60	1.42	2.07		Caracol	SX
CRSX23-21A	629.50	634.00	4.5	4.3	2.27	23.0	157	4130	4170	5410	2.82	10.20		Caracol	SX
CRSX23-21A	641.50	644.50	3.0	2.9	3.88	13.4	167	4230	911	6075	4.35	11.64		Caracol	SX
CRSX23-21A	661.00	662.50	1.5	0.9	2.08	1.2	53	481	28	632	2.13	3.12		Caracol	SX
CRSX23-21A	678.00	687.00	9.0	8.7	1.50	2.4	90	865	84	1401	1.60	13.47		Caracol	SX
CRSX23-21A	694.50	696.00	1.5	0.9	2.14	2.4	65	459	75	202	2.19	3.21		Caracol	SX
CRSX23-21A	706.50	708.00	1.5	0.8	2.69	4.4	110	8550	72	986	2.80	4.04		Caracol	SX
CRSX23-21A	713.65	718.00	4.4	4.2	1.17	5.2	186	1154	80	1454	1.33	5.11		Caracol	SX
CRSX23-21A	737.50	738.65	1.1	0.6	2.31	10.9	350	285	71	7950	2.86	2.66		Caracol	SX
CRSX23-21B	542.70	572.00	29.3	26.4	2.17	17.3	117	2413	1859	5898	2.67	63.67		542.7 - 549.5 Breccia 549.5 - 572 Caracol	542.7 - 571.9 SX 571.9 - 572
CRSX23-21B	586.50	596.50	10.0	9.0	3.49	10.8	150	3503	1346	1396	3.71	34.93	1.3m @ 12.4g/t Au	Caracol	SX
CRSX23-21B	618.50	640.50	22.0	19.8	2.41	9.9	173	4227	1150	3867	2.74	53.07		Caracol	SX
CRSX23-21B	655.10	668.00	12.9	9.2	1.51	2.5	76	990	50	1633	1.62	19.43		Caracol	SX
CRSX23-21B	689.50	691.00	1.5	1.1	2.73	7.4	238	2880	746	5340	3.10	4.10		Caracol	SX
CRSX23-21B	716.50	718.00	1.5	1.4	1.20	9.1	133	1035	171	4080	1.52	1.80		Caracol	SX
CRSX23-21B	730.00	731.50	1.5	1.4	2.29	6.5	172	8960	69	3930	2.58	3.44		Caracol	SX
CRSX23-21B	736.00	758.50	22.5	20.3	1.37	4.2	167	1690	70	2162	1.55	30.84		Indidura	SX
CRSX23-21B	775.50	778.15	2.6	2.4	1.61	21.5	323	2725	742	5850	2.19	4.28		Indidura	SX
CRSX23-21B	811.00	812.00	1.0	0.7	4.47	15.8	446	677	130	18100	5.57	4.47		Indidura	SX
CRSX23-21B	841.00	845.50	4.5	4.1	1.17	7.7	513	689	86	2603	1.46	5.28		Indidura	SX
CRSX23-21B	863.60	864.30	0.7	0.6	3.86	22.6	935	487	264	111500	9.50	2.70		Indidura	SX
CRSX23-21B	872.50	874.00	1.5	1.4	1.51	2.8	27	7980	201	1080	1.60	2.27		FG Intrusives - hdb-bi-pl	SX
CRSX23-21B	893.65	895.60	2.0	1.8	3.24	26.5	860	452	314	13150	4.29	6.32		Indidura	SX
CRSX23-21C	534.50	536.00	1.5	1.2	2.80	16.1	52	1530	1900	2030	3.10	4.20		Caracol	SX
CRSX23-21C	549.50	554.00	4.5	3.7	1.22	14.6	75	1762	2051	2913	1.54	5.50		Caracol	SX
CRSX23-21C	557.00	558.50	1.5	1.2	1.27	18.1	92	2090	2200	4320	1.70	1.91		Caracol	SX
CRSX23-21C	569.00	608.50	39.5	32.7	2.59	10.0	128	2459	852	2442	2.84	102.33	1.4m @ 18.55g/t Au 1.5m @ 14.15g/t Au 1.5m @ 14.6g/t Au 1.5m @ 16.15g/t Au 1.42m @ 20.4g/t Au	569 - 578.3 Caracol 578.3 - 579.85 Breccia 579.85 - 608.5 Caracol	SX
CRSX23-21C	617.50	647.50	30.0	24.9	3.25	10.0	148	4330	632	2718	3.52	97.42		Caracol	SX
CRSX23-21C	698.00	699.50	1.5	1.2	1.28	0.5	59	98	11	32	1.29	1.91		Caracol	SX
CRSX23-21C	701.00	702.50	1.5	1.2	1.22	1.2	44	203	23	303	1.25	1.83		Caracol	SX
CRSX23-21D	720.50	722.00	1.5	1.3	2.97	3.2	63	2970	50	2720	3.14	4.46		Caracol	SX
CRSX23-21D	759.50	764.00	4.5	3.8	1.53	10.7	217	4163	239	7463	2.04	6.90		Indidura	SX
CRSX23-21D	820.40	822.00	1.6	1.3	1.08	5.2	297	4720	64	3060	1.33	1.73		Indidura	SX
CRSX23-21D	865.50	867.00	1.5	1.3	1.21	4.6	112	1190	55	4740	1.50	1.82		Indidura	SX
CRSX23-21D	880.50	888.00	7.5	5.9	3.78	10.2	204	4905	139	6338	4.23	28.38	1.5m @ 17.4g/t Au	Cuesta de Cura	SX
CRSX23-21D	901.50	903.00	1.5	1.3	1.57	3.4	1070	88	14	296	1.77	2.36		Cuesta de Cura	SX
CRSX23-21D	1000.20	1025.50	25.3	21.6	1.93	11.0	1845	450	24	1961	2.41	48.89		1000.2 - 1000.9 FG Intrusives - hdb-bi-pl 1000.9 - 1025.5 Cuesta de Cura	SX

CRSX23-21D	1043.50	1045.00	1.5	1.3	1.16	2.2	479	1885	17	14500	1.93	1.74		Cuesta de Cura	SX
CRSX23-21D	1066.05	1069.05	3.0	2.6	1.73	2.4	183	3200	13	7800	2.15	5.20		Cuesta de Cura	SX
CRSX23-21D	1084.00	1085.50	1.5	1.3	1.93	0.7	117	5950	4	7450	2.30	2.89		Cuesta de Cura	SX
CRSX23-23	528.50	530.00	1.5	1.0	1.80	18.4	89	5570	3570	3570	2.20	2.70		Caracol	SX
CRSX23-23	563.60	566.50	2.9	2.7	2.31	14.6	98	2399	2708	2601	2.62	6.70		Caracol	SX
CRSX23-23	575.50	578.50	3.0	2.0	2.83	25.5	170	1800	5490	4428	3.36	8.48		Caracol	SX
CRSX23-23	585.50	605.00	19.5	13.0	1.97	11.1	90	4119	1547	3166	2.26	38.32		Caracol	SX
CRSX23-23	617.00	641.00	24.0	16.0	2.52	13.9	119	898	1255	3830	2.89	60.60		617 - 630.25 Caracol 630.25 - 634.3 Breccia 634.3 - 641 Indidura	617 - 630.25 TRSX 630.25 - 634.3 TROL 634.3 - 641 SX
CRSX23-23A	484.30	486.00	1.7	1.3	1.02	3.9	26	2650	575	581	1.09	1.73		Caracol	SX
CRSX23-23A	508.50	510.00	1.5	1.2	1.05	16.2	79	3750	1600	4700	1.47	1.57		Caracol	SX
CRSX23-23A	520.50	531.00	10.5	8.2	1.81	5.3	102	1774	217	2154	1.99	19.00		Caracol	SX
CRSX23-23A	537.50	538.60	1.1	0.9	1.66	28.7	122	805	4040	4070	2.21	1.82		Breccia	TRSX
															550.5 - 556 TRSX 556 - 562.5 SX 562.5 - 574.05 TRSX 574.05 - 591.1 SX 591.1 - 598 TRSX 598 - 610 610 - 611 TRSX 620 - 623.9 SX
CRSX23-23A	550.50	611.00	60.5	51.6	1.60	12.5	201	585	1440	3687	1.95	96.76		Caracol	623.9 - 630.95 TRSX 630.95 - 656
CRSX23-23A	620.00	656.00	36.0	28.1	3.41	4.1	117	482	76	1358	3.54	122.71	3m @ 29.18g/t Au	Caracol	670.5 - 671.3 Caracol 671.3 - 684.5 Indidura Caracol
CRSX23-23A	670.50	684.50	14.0	10.9	1.11	9.0	147	827	144	3964	1.42	15.53			SX
CRSX23-23B	548.00	556.25	8.3	7.7	3.20	15.5	84	4954	1654	2883	3.54	26.42		Caracol	SX
CRSX23-23B	562.50	590.00	27.5	18.2	2.08	15.1	149	1438	2384	2643	2.40	57.11		562.5 - 579.7 Caracol 579.7 - 584.35 Breccia 584.35 - 590 Caracol	562.5 - 579.7 SX 579.7 - 584.35 OX 584.35 - 590 SX 606.5 - 609 SX 609 - 625.2 TROL 625.2 - 627 SX
CRSX23-23B	606.50	627.00	20.5	13.5	2.33	9.3	154	543	607	1899	2.55	47.73	0.9m @ 16.25g/t Au	606.5 - 625.2 Caracol 625.2 - 627 Indidura	
CRSX23-23B	654.00	655.50	1.5	1.0	2.37	29.9	581	3350	347	6880	3.13	3.56		Indidura	SX
CRSX23-23B	672.00	673.50	1.5	1.0	1.30	3.9	93	1710	90	3010	1.50	1.95		Indidura	SX
CRSX23-23B	679.50	681.05	1.5	1.0	3.57	5.6	146	3450	435	671	3.69	5.53		Indidura	SX
CRSX23-24	487.00	505.00	18.0	16.2	1.85	13.3	138	2720	1557	1636	2.10	33.24		487 - 498.15 Caracol 498.15 - 500.7 Breccia 500.7 - 505 Caracol	SX
CRSX23-24	514.00	547.00	33.0	29.7	1.84	17.7	224	1616	2461	6935	2.41	60.87		Caracol	514 - 534.6 SX 534.6 - 543.95 TROL 543.95 - 547 TRSX
CRSX23-24	565.00	592.00	27.0	24.3	1.55	5.5	177	2148	267	2670	1.77	41.85		Caracol	SX
CRSX23-24	599.50	610.00	10.5	9.5	1.54	3.9	95	2441	155	1974	1.70	16.21		Caracol	SX
CRSX23-24	619.00	623.50	4.5	4.1	1.11	1.2	65	320	57	173	1.14	4.98		Caracol	SX
CRSX23-24	628.00	629.50	1.5	1.4	1.09	4.6	103	1325	432	7430	1.51	1.64		Caracol	SX
CRSX23-24	637.00	640.00	3.0	2.7	3.25	8.6	198	760	309	4610	3.59	9.74		Caracol	SX
CRSX23-24	653.00	654.50	1.5	1.3	2.78	10.8	285	2920	344	6550	3.26	4.17		Caracol	SX
CRSX23-24	691.50	700.50	9.0	8.1	1.26	6.6	178	270	41	1098	1.41	11.32		Caracol	SX
CRSX23-24	708.00	709.50	1.5	1.1	1.53	2.5	194	53	56	236	1.59	2.29		Caracol	SX
CRSX23-24	730.50	755.50	25.0	22.4	1.27	6.8	200	220	72	2319	1.49	31.82		730.5 - 751.55 Caracol 751.55 - 755.5 FG Intrusives - hdb-bi-pl	TRSX
CRSX23-24	772.10	775.15	3.0	2.7	1.86	49.1	1289	1620	920	23036	3.71	5.67		FG Intrusives - hdb-bi-pl	TRSX
CRSX23-24A	457.50	459.00	1.5	1.4	2.24	7.7	148	2930	240	8040	2.73	3.36		Caracol	457.5 - 458.35 FR 458.35 - 459 SX
CRSX23-24A	484.75	487.90	3.1	2.9	1.79	14.2	88	3327	1620	6364	2.28	5.65		484.75 - 486.4 Breccia 486.4 - 487.9 Caracol	SX
CRSX23-24A	501.50	503.00	1.5	1.4	1.23	27.2	125	329	3710	1715	1.65	1.85		Caracol	SX
CRSX23-24A	515.50	582.00	66.5	61.7	2.94	15.2	219	2769	1777	4772	3.37	195.36	1.5m @ 21.7g/t Au 1.5m @ 13.85g/t Au	Caracol	SX
CRSX23-24A	594.00	604.50	10.5	9.7	1.52	3.6	153	1026	193	2202	1.69	16.01		Caracol	SX
CRSX23-24A	611.50	614.25	2.8	2.6	2.98	11.7	200	6028	446	11091	3.66	8.18		Caracol	SX
CRSX23-24A	620.80	638.50	17.7	16.4	1.10	4.1	150	1747	280	2878	1.30	19.43		620.8 - 622 Caracol 622 - 625.25 Breccia 625.25 - 638.5 Caracol	SX
CRSX23-24A	650.50	683.50	33.0	30.6	1.62	4.6	144	1134	165	1449	1.76	53.30	0.75m @ 21.3g/t Au	Caracol	650.5 - 678.3 SX 678.3 - 682.8 TRSX 682.8 - 683.5 SX
CRSX23-24A	694.90	696.60	1.7	1.1	1.15	1.4	55	300	31	160	1.18	1.96		Caracol	SX
CRSX23-24A	705.50	707.00	1.5	1.0	1.34	2.3	95	61	34	718	1.41	2.00		Caracol	SX
CRSX23-24A	723.50	738.35	14.9	9.9	1.24	12.9	501	1151	120	5110	1.71	18.46		Caracol	SX

Criteria: Cut off grade 1g/t Au, minimum length 1.5m, maximum consecutive internal waste 6m, if Au grade x length > 1.5 the composite will be added  
 Price Assumptions: Au = 1750usd oz, Ag = 21usd oz, Cu = 3.5usd lb, Zn = 1.2usd lb  
 AuEq include (Au+Ag+Cu+Zn)  
 FR= Fresh Rock, OX= Oxide, TROL= Transition Oxide Low, TROH= Transition Oxide High, MX= Mixed, TRSX= Transition Sulphide, SX= Sulphide

**Table 2: Camino Rojo Drill Hole Collars**

HOLE-ID	Easting	Northing	Elevation	Azimuth	Dip	Depth (m)
CRSX23-15A	243579.9	2676156.2	1953.8	158.2	-51.33	845.4
CRSX23-15B	243579.9	2676156.9	1954.4	159.0	-57.00	588.5
CRSX23-17	243664.9	2676155.3	1952.9	161.0	-74.00	1023.1
CRSX23-18B	243932.1	2676280.7	1948.5	151.0	-86.00	680.0
CRSX23-19A	243902.4	2676281.2	1949.2	157.0	-75.00	700.3
CRSX23-19B	243900.9	2676281.7	1948.9	155.0	-80.00	693.4
CRSX23-19C	243900.9	2676281.7	1948.9	151.0	-85.00	680.0
CRSX23-20	243734.7	2676289.5	1952.9	146.0	-75.00	670.0
CRSX23-20A	243734.7	2676289.5	1952.9	148.0	-41.00	650.1
CRSX23-20B	243734.7	2676289.5	1952.9	146.3	-51.50	851.2
CRSX23-20C	243734.7	2676289.5	1952.9	148.0	-64.00	911.2
CRSX23-20D	243734.7	2676289.5	1952.9	150.0	-68.00	541.6
CRSX23-20F	243734.7	2676289.5	1952.9	147.0	-71.00	1100.0
CRSX23-21	243590.8	2676192.7	1954.0	153.5	-77.00	701.0
CRSX23-21A	243589.6	2676192.0	1954.0	153.2	-50.50	740.4
CRSX23-21B	243589.6	2676192.0	1954.0	153.5	-60.50	945.3
CRSX23-21C	243589.6	2676192.0	1954.0	154.3	-70.57	706.9
CRSX23-21D	243589.6	2676192.0	1954.0	154.3	-70.57	1100.1
CRSX23-23	243796.8	2676271.4	1951.7	147.0	-81.00	670.1
CRSX23-23A	243796.8	2676271.4	1952.0	146.5	-72.00	690.2
CRSX23-23B	243796.7	2676271.7	1952.0	146.5	-76.50	698.1
CRSX23-24	243683.9	2676264.3	1953.2	149.0	-57.00	814.2
CRSX23-24A	243683.9	2676264.3	1953.2	158.0	-56.00	743.3