

**Table 1: Camino Rojo Near Mine Composite Drill Results**

| HOLE-ID    | From (m) | To (m) | Core Length (m) | True Width (m) | Au g/t | Ag g/t | Au GXM | Au GXM (TW) | Including 2.0g/t Au COG   | Including 10g/t Au HG                  | Ox / Sx   |
|------------|----------|--------|-----------------|----------------|--------|--------|--------|-------------|---|--|---|
| CRSX22-07  | 439.80   | 441.30 | 1.50            | 1.01           | 1.32   | 39.3   | 1.98   | 1.33        |   |  | SX  |
| CRSX22-07  | 454.80   | 456.30 | 1.50            | 1.01           | 3.47   | 49.0   | 5.21   | 3.51        |   |  | SX  |
| CRSX22-07  | 465.30   | 544.80 | 79.50           | 53.59          | 1.46   | 5.5    | 115.85 | 78.09       | 1.5m @ 3.47g/t Au<br>15m @ 2.77g/t Au<br>1.5m @ 2.03g/t Au<br>1.5m @ 2.91g/t Au<br>4.5m @ 2.88g/t Au<br>3m @ 2.28g/t Au<br>1.5m @ 2.41g/t Au<br>3m @ 3.74g/t Au |  | SX  |
| CRSX22-07  | 556.80   | 561.30 | 4.50            | 3.04           | 1.55   | 4.3    | 6.97   | 4.71        |   |  | SX  |
| CRSX22-07  | 567.30   | 607.80 | 40.50           | 27.35          | 1.40   | 4.0    | 56.54  | 38.19       | 1.5m @ 5.12g/t Au<br>9m @ 2.72g/t Au  |  | SX  |
| CRSX22-07  | 619.80   | 627.30 | 7.50            | 5.09           | 1.82   | 1.4    | 13.62  | 9.25        | 1.5m @ 5.67g/t Au   |  | SX  |
| CRSX22-07  | 646.80   | 648.30 | 1.50            | 1.02           | 2.29   | 8.4    | 3.44   | 2.33        | 1.5m @ 2.29g/t Au   |  | SX  |
| CRSX22-07  | 663.30   | 664.80 | 1.50            | 1.02           | 1.16   | 6.5    | 1.74   | 1.18        |   |  | SX  |
| CRSX22-07  | 673.50   | 675.00 | 1.50            | 1.02           | 1.19   | 7.5    | 1.78   | 1.20        |   |  | SX  |
| CRSX22-07  | 681.00   | 682.50 | 1.50            | 1.01           | 1.55   | 5.2    | 2.33   | 1.57        |   |  | SX  |
| CRSX22-07  | 685.50   | 687.00 | 1.50            | 1.01           | 1.20   | 37.5   | 1.79   | 1.21        |   |  | SX  |
| CRSX22-07  | 777.60   | 800.50 | 22.90           | 15.43          | 4.02   | 12.2   | 92.03  | 62.01       | 6.05m @ 9.3g/t Au<br>9.1m @ 3.19g/t Au  | 0.6m @ 56.7g/t Au<br>1m @ 16.75g/t Au  | SX  |
| CRSX22-07  | 807.00   | 808.50 | 1.50            | 1.01           | 1.28   | 1.0    | 1.92   | 1.29        |   |  |   |
| CRSX22-07  | 813.00   | 814.50 | 1.50            | 1.00           | 1.37   | 11.0   | 2.05   | 1.37        |   |  |   |
| CRSX22-07  | 819.00   | 820.50 | 1.50            | 1.00           | 1.46   | 9.1    | 2.18   | 1.46        |   |  |   |
| CRSX22-07  | 831.00   | 834.00 | 3.00            | 2.00           | 1.32   | 2.4    | 3.97   | 2.65        |   |  |   |
| CRSX22-07  | 888.00   | 890.20 | 2.20            | 1.46           | 2.86   | 8.2    | 6.29   | 4.17        | 1m @ 4.9g/t Au  |  |   |
| CRSX22-07C | 295.90   | 297.40 | 1.50            | 1.02           | 1.52   | 5.5    | 2.28   | 1.56        |   |  | SX  |
| CRSX22-07C | 304.90   | 306.40 | 1.50            | 1.02           | 1.08   | 1.5    | 1.61   | 1.10        |   |  | SX  |
| CRSX22-07C | 307.90   | 316.50 | 8.60            | 5.87           | 1.01   | 8.3    | 8.70   | 5.93        | 1.8m @ 2.02g/t Au   |  | SX  |
| CRSX22-07C | 338.35   | 340.15 | 1.80            | 1.23           | 1.16   | 5.4    | 2.09   | 1.43        |   |  | SX  |
| CRSX22-07C | 435.80   | 441.60 | 5.80            | 4.52           | 2.03   | 48.3   | 11.76  | 9.15        | 4.3m @ 2.29g/t Au   |  | SX  |
| CRSX22-07C | 455.10   | 477.60 | 22.50           | 17.39          | 2.64   | 11.3   | 59.39  | 45.91       | 12m @ 4.37g/t Au<br>15m @ 2.11g/t Au<br>1.5m @ 2.56g/t Au   | 1.5m @ 12.85g/t Au                     | SX  |
| CRSX22-07C | 496.90   | 525.40 | 28.50           | 21.99          | 1.62   | 8.1    | 46.30  | 35.72       |   |  | SX  |
| CRSX22-07C | 534.40   | 535.90 | 1.50            | 1.16           | 1.54   | 6.9    | 2.31   | 1.78        |   |  | SX  |
| CRSX22-07C | 540.40   | 541.90 | 1.50            | 1.16           | 1.18   | 2.3    | 1.77   | 1.37        |   |  | SX  |
| CRSX22-07C | 559.90   | 562.90 | 3.00            | 2.31           | 3.20   | 4.3    | 9.59   | 7.39        | 1.5m @ 4.6g/t Au  |  | SX  |
| CRSX22-07C | 569.70   | 572.50 | 2.80            | 2.15           | 4.55   | 20.1   | 12.74  | 9.79        | 2.8m @ 4.55g/t Au   |  | SX  |
| CRSX22-07C | 580.00   | 585.00 | 5.00            | 3.83           | 1.62   | 6.3    | 8.08   | 6.19        | 1.5m @ 3.21g/t Au   |  | SX  |
| CRSX22-07C | 610.00   | 614.05 | 4.05            | 3.12           | 1.61   | 1.3    | 6.54   | 5.03        | 1.5m @ 3.19g/t Au   |  | SX  |
| CRSX22-07C | 636.15   | 637.65 | 1.50            | 1.15           | 1.22   | 19.5   | 1.82   | 1.40        |   |  | SX  |
| CRSX22-07C | 645.15   | 664.50 | 19.35           | 14.85          | 2.23   | 21.8   | 43.20  | 33.15       | 1.5m @ 9.87g/t Au<br>7.2m @ 3.02g/t Au<br>1.5m @ 2.54g/t Au   |  | SX  |
| CRSX22-07C | 673.50   | 675.00 | 1.50            | 1.15           | 2.54   | 25.2   | 3.81   | 2.92        |   |  | SX  |
| CRSX22-07C | 760.50   | 763.50 | 3.00            | 2.34           | 1.11   | 8.8    | 3.34   | 2.60        |   |  | SX  |
| CRSX22-07C | 771.00   | 772.70 | 1.70            | 1.33           | 3.55   | 12.4   | 6.04   | 4.71        | 1.7m @ 3.55g/t Au   |  | SX  |
| CRSX22-08  | 523.00   | 524.50 | 1.50            | 1.40           | 1.99   | 7.6    | 2.99   | 2.79        |   |  | SX  |
| CRSX22-08  | 542.50   | 544.00 | 1.50            | 1.40           | 1.17   | 1.0    | 1.76   | 1.64        |   |  | SX  |
| CRSX22-08  | 564.50   | 605.50 | 41.00           | 38.26          | 1.83   | 7.7    | 75.16  | 70.14       | 0.9m @ 9.3g/t Au<br>9m @ 2.77g/t Au<br>9m @ 3.24g/t Au  |  | SX  |
| CRSX22-08  | 612.50   | 641.00 | 28.50           | 26.52          | 2.81   | 9.5    | 80.07  | 74.51       | 6m @ 4.35g/t Au<br>5.45m @ 6.22g/t Au<br>1.5m @ 4.73g/t Au  | 1.5m @ 13.5g/t Au<br>1.5m @ 15.3g/t Au | 612.5 - 619.3 SX<br>619.3 - 626.65<br>626.65 - 627.5 OX<br>627.5 - 636.4 TRSX<br>636.4 - 641 SX   |
| CRSX22-08  | 648.60   | 657.50 | 8.90            | 8.27           | 2.53   | 6.4    | 22.55  | 20.95       | 0.6m @ 29.3g/t Au   | 0.6m @ 29.3g/t Au                      | SX  |
| CRSX22-08  | 665.00   | 673.60 | 8.60            | 7.98           | 2.02   | 22.7   | 17.35  | 16.10       | 3.05m @ 3.93g/t Au  |  | SX  |
| CRSX22-08  | 849.00   | 850.50 | 1.50            | 1.01           | 1.72   | 2.3    | 2.58   | 1.74        |   |  | SX  |
| CRSX22-08  | 879.00   | 880.50 | 1.50            | 1.00           | 1.25   | 15.2   | 1.87   | 1.25        |   |  | 879 - 879.3 FR<br>879.3 - 880.5 TROL  |
| CRSX22-08  | 910.50   | 914.00 | 3.50            | 2.35           | 1.76   | 1.8    | 6.15   | 4.13        | 0.5m @ 7.33g/t Au   |  | SX  |
| CRSX22-08B | 495.50   | 497.00 | 1.50            | 1.50           | 1.07   | 9.1    | 1.61   | 1.60        |   |  | SX  |
| CRSX22-08B | 519.00   | 520.70 | 1.70            | 1.70           | 1.14   | 40.9   | 1.93   | 1.93        |   |  | SX  |
| CRSX22-08B | 545.50   | 557.30 | 11.80           | 11.77          | 2.07   | 10.9   | 24.47  | 24.40       | 2m @ 9.27g/t Au   | 0.5m @ 29.5g/t Au                      | 545.5 - 546.7 SX<br>546.7 - 557.3 TRSX<br>568.5 - 578.75 TRSX<br>578.75 - 579 TROL<br>579 - 580.5 TRSX<br>580.5 - 580.78<br>TROH<br>580.78 - 584.79<br>TRXSX<br>584.79 - 586.39<br>TROL<br>586.39 - 599.42<br>TRXSX<br>599.42 - 599.46<br>TROH<br>599.46 - 602 TROL<br>602 - 605.45 TROH<br>611.5 - 619.2 TROL<br>619.2 - 645.5 SX<br>651.6 - 651.7 SX<br>651.7 - 654 TRSX<br>654 - 668 SX<br>TRXSX<br>734.5 - 736.7 TROL<br>736.7 - 742.15 SX<br>742.15 - 748.4<br>748.4 - 751.5 TROL<br>TRXSX |
| CRSX22-08B | 568.50   | 605.45 | 36.95           | 36.83          | 3.78   | 14.7   | 139.68 | 139.22      | 35.75m @ 3.86g/t Au   | 1.5m @ 21.7g/t Au<br>1.5m @ 16g/t Au   |   |
| CRSX22-08B | 611.50   | 645.50 | 34.00           | 33.87          | 2.70   | 4.5    | 91.83  | 91.47       | 1.5m @ 9.88g/t Au<br>24m @ 2.8g/t Au  | 1.4m @ 21g/t Au                        |   |
| CRSX22-08B | 651.60   | 668.00 | 16.40           | 16.33          | 1.85   | 4.9    | 30.40  | 30.26       | 10.4m @ 2.54g/t Au  |  |   |
| CRSX22-08B | 693.00   | 698.00 | 5.00            | 4.38           | 1.20   | 0.7    | 6.00   | 5.25        |   |  |   |
| CRSX22-08B | 734.50   | 751.50 | 17.00           | 14.93          | 1.05   | 3.8    | 17.80  | 15.64       | 1.3m @ 2.75g/t Au   |  |   |
| CRSX22-08B | 756.00   | 757.50 | 1.50            | 1.32           | 1.23   | 12.7   | 1.85   | 1.62        |   |  |   |

|            |        |        |       |       |      |      |        |        |  |  |  |
|------------|--------|--------|-------|-------|------|------|--------|--------|--|--|--|
| CRSX22-08B | 772.00 | 777.70 | 5.70  | 4.99  | 1.75 | 11.8 | 10.00  | 8.76   | 1m @ 3.86g/t Au<br>1.7m @ 2.17g/t Au   |  | TRSX   |
| CRSX22-08B | 785.00 | 786.50 | 1.50  | 1.31  | 2.06 | 17.0 | 3.09   | 2.70   | 1.5m @ 2.06g/t Au  |  | TRSX   |
| CRSX22-08B | 806.00 | 830.60 | 24.60 | 21.49 | 1.28 | 9.6  | 31.44  | 27.46  | 4.5m @ 3.01g/t Au  |  | SX   |
| CRSX22-08B | 858.80 | 876.00 | 17.20 | 14.97 | 1.33 | 17.8 | 22.87  | 19.90  | 1.5m @ 4.92g/t Au  |  | SX   |
| CRSX22-08C | 534.00 | 535.50 | 1.50  | 1.48  | 4.03 | 3.8  | 6.05   | 5.97   | 1.5m @ 4.03g/t Au  |  | SX   |
| CRSX22-08C | 550.00 | 559.50 | 9.50  | 9.37  | 2.64 | 8.6  | 25.12  | 24.78  | 9.5m @ 2.64g/t Au  |  | SX   |
| CRSX22-08C | 568.50 | 585.00 | 16.50 | 16.26 | 2.32 | 19.3 | 38.34  | 37.79  | 1.5m @ 6.3g/t Au<br>3m @ 7.1g/t Au   |  | SX   |
|            |        |        |       |       |      |      |        |        |  |  | 593 - 595.6 TRSX<br>595.6 - 597.7 TROL<br>597.7 - 600.25 OX<br>600.25 - 602.4<br>TROL<br>602.4 - 607.4 TRSX<br>607.4 - 609 TROL<br>609 - 611.56 TRSX<br>611.56 - 613.13 SX<br>613.13 - 613.65<br>TROL<br>613.65 - 615.65<br>TRSX<br>615.65 - 617.8<br>TROL<br>617.8 - 619.9 SX<br>619.9 - 627.7 TROL<br>627.7 - 663 SX |
| CRSX22-08C | 593.00 | 663.00 | 70.00 | 68.90 | 2.81 | 9.1  | 196.45 | 193.35 | 70m @ 2.81g/t Au   | 1.5m @ 11.55g/t Au<br>1.5m @ 14.05g/t Au   | TRSX   |
| CRSX22-08C | 673.50 | 679.50 | 6.00  | 4.94  | 2.88 | 4.2  | 17.29  | 14.25  | 4.5m @ 3.35g/t Au<br>1.5m @ 3g/t Au  |  | SX   |
| CRSX22-08C | 690.00 | 702.00 | 12.00 | 9.91  | 1.32 | 2.0  | 15.79  | 13.03  | 1.5m @ 2.77g/t Au  |  | TRSX   |
| CRSX22-08C | 715.00 | 723.00 | 8.00  | 6.61  | 1.21 | 5.7  | 9.69   | 8.01   | 0.85m @ 4.13g/t Au   |  | 715 - 720.35 TRSX<br>720.35 - 723 SX<br>730.5 - 736.05 SX<br>736.05 - 740.5<br>TRSX  |
| CRSX22-08C | 730.50 | 740.50 | 10.00 | 8.27  | 1.11 | 3.8  | 11.10  | 9.17   | 1.5m @ 2.88g/t Au<br>1.5m @ 2.88g/t Au   |  | SX   |
| CRSX22-08C | 784.00 | 785.50 | 1.50  | 1.25  | 1.94 | 11.7 | 2.90   | 2.41   |  |  | SX   |
| CRSX22-08C | 800.50 | 802.00 | 1.50  | 1.25  | 4.42 | 40.8 | 6.63   | 5.51   | 1.5m @ 4.42g/t Au  |  | SX   |
| CRSX22-08C | 849.95 | 852.00 | 2.05  | 1.70  | 2.14 | 10.0 | 4.39   | 3.65   | 2.05m @ 2.14g/t Au   |  | SX   |
| CRSX22-08C | 858.40 | 867.50 | 9.10  | 7.56  | 2.50 | 8.2  | 22.73  | 18.89  | 7.6m @ 2.79g/t Au  |  | SX   |
| CRSX22-08C | 876.50 | 878.00 | 1.50  | 1.25  | 2.07 | 1.8  | 3.11   | 2.58   | 1.5m @ 2.07g/t Au  |  | SX   |
| CRSX22-08C | 885.00 | 886.50 | 1.50  | 1.25  | 2.35 | 11.9 | 3.53   | 2.93   |  |  | SX   |
| CRSX22-08C | 908.50 | 927.85 | 19.35 | 16.08 | 1.81 | 9.2  | 34.96  | 29.06  | 9m @ 2.51g/t Au<br>2.6m @ 2.75g/t Au   |  | SX   |
| CRSX22-09  | 489.50 | 491.00 | 1.50  | 1.34  | 2.23 | 5.3  | 3.35   | 3.00   | 1.5m @ 2.23g/t Au  |  | SX   |
| CRSX22-09  | 522.00 | 538.00 | 16.00 | 13.15 | 6.94 | 36.5 | 111.10 | 91.30  | 14.5m @ 7.48g/t Au   | 1.5m @ 17.7g/t Au<br>1.5m @ 11.8g/t Au<br>2m @ 17.77g/t Au   | SX   |
| CRSX22-09  | 547.00 | 587.50 | 40.50 | 36.23 | 3.83 | 12.1 | 154.96 | 138.63 | 7.5m @ 6.74g/t Au<br>9m @ 9.28g/t Au   | 1.5m @ 26.4g/t Au<br>1.2m @ 29g/t Au<br>1.5m @ 13.1g/t Au  | 547 - 567.7 TRSX<br>567.7 - 582.8 SX<br>582.8 - 587.5 TRSX   |
| CRSX22-09  | 595.50 | 606.00 | 10.50 | 9.39  | 1.08 | 4.4  | 11.39  | 10.18  | 1.5m @ 2.88g/t Au<br>1.5m @ 2.32g/t Au   |  | SX   |
| CRSX22-09  | 609.00 | 631.00 | 22.00 | 18.09 | 1.01 | 1.5  | 22.32  | 18.35  | 1.5m @ 3.33g/t Au<br>1.2m @ 3.54g/t Au   |  | SX   |
| CRSX22-09  | 656.50 | 671.00 | 14.50 | 12.95 | 1.90 | 4.2  | 27.53  | 24.59  | 7m @ 3.17g/t Au  |  | SX   |
| CRSX22-09  | 678.50 | 679.50 | 1.00  | 0.89  | 1.85 | 0.7  | 1.85   | 1.65   |  |  | SX   |
| CRSX22-09A | 467.40 | 468.40 | 1.00  | 0.99  | 5.78 | 16.6 | 5.78   | 5.70   | 1m @ 5.78g/t Au  |  | FR   |
| CRSX22-09A | 482.00 | 485.00 | 3.00  | 2.96  | 1.08 | 20.2 | 3.23   | 3.18   |  |  | 482 - 482.6 FR<br>482.6 - 485 SX   |
| CRSX22-09A | 492.50 | 571.50 | 79.00 | 77.87 | 2.76 | 9.3  | 218.25 | 215.14 | 55m @ 3.22g/t Au<br>1.5m @ 5.71g/t Au<br>3m @ 4.44g/t Au   | 1.5m @ 10.1g/t Au  | SX   |
| CRSX22-09A | 579.00 | 591.00 | 12.00 | 11.81 | 1.32 | 3.5  | 15.86  | 15.61  | 4.5m @ 2.3g/t Au   |  | SX   |
| CRSX22-09A | 600.00 | 605.50 | 5.50  | 5.41  | 2.53 | 5.2  | 13.91  | 13.69  | 1.5m @ 6.31g/t Au  |  | SX   |
| CRSX22-09A | 612.50 | 614.00 | 1.50  | 1.48  | 3.18 | 3.5  | 4.77   | 4.69   | 1.5m @ 3.18g/t Au  |  | SX   |
| CRSX22-09A | 620.50 | 624.50 | 4.00  | 3.94  | 1.37 | 5.2  | 5.46   | 5.38   |  |  | 620.5 - 621.6 SX<br>621.6 - 624.5 TRSX<br>OX   |
| CRSX22-09A | 629.70 | 631.00 | 1.30  | 1.07  | 2.32 | 2.7  | 3.02   | 2.48   | 1.3m @ 2.32g/t Au  |  | 648 - 651.5 TRSX<br>651.5 - 656.5 SX<br>SX   |
| CRSX22-09A | 648.00 | 656.50 | 8.50  | 6.99  | 1.22 | 5.8  | 10.40  | 8.55   | 2.5m @ 2.94g/t Au  |  |  |
| CRSX22-09A | 671.50 | 682.00 | 10.50 | 8.64  | 1.19 | 2.9  | 12.47  | 10.27  | 1.5m @ 4.37g/t Au<br>1.5m @ 4.39g/t Au   |  |  |
| CRSX22-09A | 695.50 | 748.00 | 52.50 | 43.22 | 1.16 | 8.9  | 60.98  | 50.19  | 1.5m @ 2.36g/t Au<br>1.5m @ 2.1g/t Au<br>10.5m @ 2.02g/t Au<br>3m @ 3.31g/t Au<br>11m @ 4.06g/t Au |  | 695.5 - 722 SX<br>722 - 723.7 TROL<br>723.7 - 748 SX   |
| CRSX22-09A | 760.40 | 801.50 | 41.10 | 34.04 | 1.93 | 15.1 | 79.14  | 65.55  |  | 1.05m @ 25.6g/t Au   | SX   |
| CRSX22-09B | 460.50 | 462.00 | 1.50  | 1.43  | 1.40 | 15.8 | 2.09   | 2.00   |  |  | SX   |
| CRSX22-09B | 481.50 | 483.00 | 1.50  | 1.44  | 2.13 | 24.7 | 3.20   | 3.06   | 1.5m @ 2.13g/t Au  |  | SX   |
| CRSX22-09B | 499.50 | 563.45 | 63.95 | 61.07 | 4.66 | 17.2 | 298.22 | 284.78 | 57.55m @ 5.08g/t Au  | 0.85m @ 10g/t Au<br>0.75m @ 35.2g/t Au<br>1.2m @ 13.75g/t Au<br>1.6m @ 10.85g/t Au<br>0.75m @ 73.6g/t Au<br>1.5m @ 16.5g/t Au<br>1.5m @ 19.7g/t Au | 499.5 - 533.85 SX<br>533.85 - 553.9<br>TRSX<br>553.9 - 563.45 SX   |
| CRSX22-09B | 571.00 | 592.20 | 21.20 | 20.21 | 2.43 | 7.2  | 51.55  | 49.14  | 18.2m @ 2.64g/t Au   |  | 571 - 582.1 TRSX<br>582.1 - 587.5 SX<br>587.5 - 592.2  |
| CRSX22-09B | 600.00 | 615.50 | 15.50 | 14.78 | 1.26 | 1.7  | 19.50  | 18.59  | 1.5m @ 2.07g/t Au<br>0.6m @ 11.9g/t Au   | 0.6m @ 11.9g/t Au  | 600 - 606.35<br>606.35 - 615.5 SX  |
| CRSX22-09B | 646.65 | 652.75 | 6.10  | 4.49  | 3.05 | 7.9  | 18.61  | 13.70  | 4.05m @ 4.01g/t Au   | 0.8m @ 15.05g/t Au   | SX   |
| CRSX22-09B | 659.80 | 660.50 | 0.70  | 0.51  | 8.04 | 8.3  | 5.63   | 4.14   | 0.7m @ 8.04g/t Au<br>3m @ 2.51g/t Au   |  | SX   |
| CRSX22-09B | 671.00 | 684.50 | 13.50 | 9.91  | 1.21 | 3.5  | 16.34  | 11.99  | 1.5m @ 2.14g/t Au<br>0.7m @ 8.8g/t Au<br>1.5m @ 3.13g/t Au   |  | 671 - 671.1 SX   |
| CRSX22-09B | 708.50 | 730.90 | 22.40 | 16.37 | 1.18 | 7.9  | 26.40  | 19.30  |  |  |  |
| CRSX22-09B | 747.70 | 749.20 | 1.50  | 1.09  | 1.68 | 23.4 | 2.51   | 1.83   |  |  |  |

|            |        |        |       |       |       |      |        |        |  |  |  |  |  |  |  |  |  |  |  |    |
|------------|--------|--------|-------|-------|-------|------|--------|--------|--|--|--|--|--|--|--|--|--|--|--|----|
| CRSX22-10  | 368.00 | 369.00 | 1.00  | 0.81  | 1.64  | 4.4  | 1.64   | 1.32   |  |  |  |  |  |  |  |  |  |  |  | FR |
| CRSX22-10  | 370.50 | 372.00 | 1.50  | 1.21  | 1.26  | 12.2 | 1.88   | 1.52   |  |  |  |  |  |  |  |  |  |  |  | FR |
| CRSX22-10  | 418.50 | 420.00 | 1.50  | 1.21  | 1.10  | 3.4  | 1.65   | 1.33   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 456.00 | 462.00 | 6.00  | 4.82  | 2.09  | 26.3 | 12.55  | 10.08  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 483.00 | 484.50 | 1.50  | 1.20  | 1.19  | 6.4  | 1.78   | 1.43   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 491.00 | 501.50 | 10.50 | 8.43  | 3.93  | 14.3 | 41.29  | 33.15  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 515.00 | 524.00 | 9.00  | 7.22  | 1.26  | 10.5 | 11.32  | 9.09   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 531.50 | 581.00 | 49.50 | 39.70 | 2.71  | 6.6  | 134.37 | 107.77 |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 588.50 | 603.50 | 15.00 | 12.02 | 1.20  | 5.2  | 18.00  | 14.42  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 618.50 | 620.00 | 1.50  | 1.20  | 10.30 | 7.1  | 15.45  | 12.38  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 626.60 | 641.50 | 14.90 | 11.93 | 5.31  | 14.9 | 79.19  | 63.38  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 652.00 | 655.00 | 3.00  | 2.40  | 1.97  | 4.1  | 5.92   | 4.73   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 664.00 | 703.00 | 39.00 | 31.05 | 1.29  | 9.2  | 50.39  | 40.12  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 712.00 | 715.30 | 3.30  | 2.62  | 3.32  | 35.0 | 10.95  | 8.70   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 725.50 | 732.50 | 7.00  | 5.56  | 1.86  | 20.4 | 13.03  | 10.34  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 739.50 | 741.00 | 1.50  | 1.19  | 1.89  | 14.9 | 2.84   | 2.25   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 747.00 | 748.50 | 1.50  | 1.19  | 1.32  | 8.2  | 1.98   | 1.57   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 762.00 | 763.50 | 1.50  | 1.19  | 4.57  | 26.1 | 6.86   | 5.44   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10  | 775.50 | 777.00 | 1.50  | 1.22  | 1.09  | 10.7 | 1.64   | 1.32   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10A | 456.50 | 459.50 | 3.00  | 2.72  | 1.87  | 12.3 | 5.61   | 5.09   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10A | 468.50 | 470.00 | 1.50  | 1.36  | 2.00  | 13.4 | 3.00   | 2.72   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10A | 492.50 | 506.00 | 13.50 | 12.23 | 3.10  | 33.8 | 41.84  | 37.89  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10A | 524.00 | 545.00 | 21.00 | 18.96 | 3.13  | 6.8  | 65.71  | 59.33  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10A | 555.50 | 642.50 | 87.00 | 78.32 | 1.92  | 7.8  | 167.35 | 150.65 |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10A | 657.50 | 665.00 | 7.50  | 6.73  | 2.53  | 21.9 | 18.98  | 17.04  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10A | 678.50 | 680.00 | 1.50  | 1.35  | 1.83  | 22.9 | 2.75   | 2.46   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10A | 689.00 | 762.50 | 73.50 | 65.86 | 1.74  | 10.6 | 127.80 | 114.52 |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10A | 774.50 | 780.50 | 6.00  | 5.36  | 5.61  | 16.4 | 33.68  | 30.11  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10A | 788.00 | 789.00 | 1.00  | 0.90  | 1.61  | 13.8 | 1.61   | 1.45   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10B | 464.50 | 466.00 | 1.50  | 1.38  | 1.24  | 45.8 | 1.85   | 1.71   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10B | 487.50 | 489.00 | 1.50  | 1.38  | 4.93  | 68.6 | 7.40   | 6.81   |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10B | 496.50 | 504.00 | 7.50  | 6.91  | 3.29  | 23.6 | 24.69  | 22.75  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10B | 516.00 | 517.50 | 1.50  | 1.38  | 12.20 | 95.1 | 18.30  | 16.86  |  |  |  |  |  |  |  |  |  |  |  | SX |
| CRSX22-10B | 526.50 | 573.00 | 46.50 | 42.32 | 1.46  | 4.6  | 67.82  | 61.73  |  |  |  |  |  |  |  |  |  |  |  | SX |

Criteria: Cut off grade 1g/t Au, minimum length 1.5m, maximum consecutive internal waste 6m, if Au grade x length > 1.5 the composite will be added

Table 2: Camino Rojo Oxide Pit Composite Drill Results

| HOLE-ID   | From (m) | To (m) | Core Length (m) | Au g/t | Ag g/t | Au GXM | Including 0.5g/t Au COG  | Including 1g/t Au COG  | Including 2g/t Au COG  |
|-----------|----------|--------|-----------------|--------|--------|--------|--|--|--|
| CROX22-01 | 21.50    | 71.50  | 50.00           | 0.99   | 11.5   | 49.48  | 1.5m @ 1g/t Au<br>39.5m @ 1.18g/t Au   | 1.5m @ 1.58g/t Au<br>25m @ 1.56g/t Au  | 1.6m @ 2.93g/t Au<br>6.05m @ 2.37g/t Au<br>1.5m @ 2.03g/t Au<br>1.3m @ 6.18g/t Au<br>1.5m @ 4.1g/t Au  |
| CROX22-01 | 79.00    | 84.40  | 5.40            | 1.31   | 4.3    | 7.07   | 5.4m @ 1.31g/t Au<br>1.3m @ 0.64g/t Au<br>1.5m @ 0.64g/t Au  | 1.5m @ 4.1g/t Au   | 1.5m @ 4.1g/t Au   |
| CROX22-01 | 98.70    | 133.50 | 34.80           | 0.42   | 13.3   | 14.63  | 1.5m @ 0.75g/t Au<br>1.5m @ 2.34g/t Au<br>2.9m @ 0.94g/t Au  | 1.5m @ 2.34g/t Au<br>1.4m @ 1.2g/t Au  | 1.5m @ 2.34g/t Au  |
| CROX22-01 | 144.50   | 281.00 | 136.50          | 1.10   | 17.5   | 149.55 | 1.5m @ 0.62g/t Au<br>112.2m @ 1.29g/t Au   | 5.5m @ 1.6g/t Au<br>1.5m @ 1.83g/t Au<br>3m @ 4.9g/t Au<br>56.5m @ 1.64g/t Au<br>4.5m @ 1.41g/t Au   | 1.4m @ 3.11g/t Au<br>1.5m @ 7.82g/t Au<br>21.5m @ 2.06g/t Au<br>1.5m @ 2.08g/t Au<br>4.3m @ 2.08g/t Au<br>1.5m @ 2.02g/t Au<br>1.5m @ 2.57g/t Au |
| CROX22-02 | 0.00     | 290.00 | 290.00          | 0.70   | 10.6   | 203.01 | 3.6m @ 0.54g/t Au<br>1.5m @ 0.66g/t Au<br>1.5m @ 1.44g/t Au<br>147.5m @ 0.97g/t Au<br>10.65m @ 0.86g/t Au<br>25.95m @ 0.59g/t Au<br>4.5m @ 0.92g/t Au<br>3.2m @ 0.72g/t Au<br>1.5m @ 0.53g/t Au<br>1.5m @ 0.88g/t Au | 1.5m @ 1.44g/t Au<br>5.5m @ 1.33g/t Au<br>45.5m @ 1.59g/t Au<br>10.5m @ 1.17g/t Au<br>1.5m @ 1.17g/t Au<br>4.95m @ 1.07g/t Au<br>15.65m @ 1.12g/t Au<br>5.7m @ 1.15g/t Au<br>1.5m @ 1.05g/t Au<br>1.5m @ 1.01g/t Au<br>1.7m @ 1.37g/t Au | 1.5m @ 3.18g/t Au<br>4m @ 2.8g/t Au<br>6m @ 3.13g/t Au<br>1.5m @ 2.3g/t Au<br>1.75m @ 2.21g/t Au<br>1.8m @ 2.22g/t Au<br>1.15m @ 3.11g/t Au      |

Criteria: Cut off grade 0.2g/t Au, minimum length 1.5m, maximum consecutive internal waste 6m

**Table 3: Camino Rojo Regional Program Composite Drill Results**

| HOLE-ID  | From (m) | To (m) | Core Length (m) | Au g/t | Ag g/t | Au GXM | Including 0.5g/t Au COG | Including 1g/t Au COG | Met Code                            |
|----------|----------|--------|-----------------|--------|--------|--------|-------------------------|-----------------------|-------------------------------------|
| CRE22-01 | 51.40    | 58.50  | 7.10            | 0.54   | 0.6    | 3.81   | 0.7m @ 4.12g/t Au       | 0.7m @ 4.12g/t Au     | 51.4 - 52.48 SX<br>52.48 - 52.83 OX |
| CRE22-01 | 74.50    | 80.00  | 5.50            | 0.39   | 0.6    | 2.13   | 1.5m @ 1.02g/t Au       | 1.5m @ 1.02g/t Au     | 52.83 - 58.5 SX                     |
| CRE22-01 | 104.95   | 107.30 | 2.35            | 1.35   | 1.1    | 3.17   | 0.8m @ 3.83g/t Au       | 0.5m @ 5.59g/t Au     | SX<br>104.95 - 105 OX               |
| CRE22-01 | 116.90   | 122.55 | 5.65            | 0.24   | 1.3    | 1.38   | 0.6m @ 1.42g/t Au       |                       | 105 - 107.3 SX<br>116.9 - 120.73 SX |
| CRE22-01 | 137.50   | 140.50 | 3.00            | 0.44   | 0.3    | 1.32   | 1.5m @ 0.62g/t Au       |                       | 120.73 - 122.55 OX                  |
| CRE22-01 | 151.90   | 156.20 | 4.30            | 0.20   | 0.3    | 0.87   |                         |                       | SX                                  |
| CRE22-01 | 169.95   | 179.00 | 9.05            | 0.32   | 0.6    | 2.91   | 1.7m @ 1.43g/t Au       | 1.7m @ 1.43g/t Au     | SX                                  |
| CRE22-01 | 279.50   | 297.00 | 17.50           | 0.11   | 1.8    | 1.95   |                         |                       | SX                                  |
| CRE22-01 | 398.30   | 399.50 | 1.20            | 2.17   | 0.8    | 2.60   | 1.2m @ 2.17g/t Au       | 1.2m @ 2.17g/t Au     | SX                                  |
| CRE22-01 | 571.50   | 573.00 | 1.50            | 0.63   | 0.6    | 0.95   | 1.5m @ 0.63g/t Au       |                       | SX                                  |

*Criteria: Cut off grade 0.1g/t Au, minimum length 1.5m, maximum consecutive internal waste 6m.*

**Table 4: Camino Rojo Drill Hole Collars**

| Drillhole  | Easting | Northing | Elevation | Azimuth | Dip | Depth (m) |
|------------|---------|----------|-----------|---------|-----|-----------|
| CRSX22-07  | 243658  | 2676063  | 1953      | 152     | -74 | 1001      |
| CRSX22-07C | 243658  | 2676063  | 1953      | 152     | -65 | 779       |
| CRSX22-08  | 243680  | 2676269  | 1954      | 148     | -73 | 922       |
| CRSX22-08B | 243680  | 2676269  | 1954      | 148     | -73 | 881       |
| CRSX22-08C | 243680  | 2676269  | 1954      | 148     | -73 | 929       |
| CRSX22-09  | 243677  | 2676170  | 1951      | 152     | -75 | 691       |
| CRSX22-09A | 243677  | 2676170  | 1951      | 151     | -58 | 802       |
| CRSX22-09B | 243677  | 2676170  | 1951      | 150     | -76 | 760       |
| CRSX22-10  | 243599  | 2676109  | 1954      | 160     | -60 | 785       |
| CRSX22-10A | 243599  | 2676109  | 1954      | 159     | -61 | 790       |
| CRSX22-10B | 243599  | 2676109  | 1954      | 160     | -61 | 585       |
| CROX22-01  | 244153  | 2676098  | 1920      | 145     | -56 | 282       |
| CROX22-02  | 244190  | 2676120  | 1920      | 145     | -59 | 290       |
| CRE22-01   | 250253  | 2680276  | 1930      | 180     | -65 | 600       |